



**StarShield Technologies Pvt. Ltd**  
Protection from Heat, Water & Dust

## Material Safety Data Sheet

Water borne bacterial hygiene paint for interior walls

Date-23/09/2016

### Section 1: Product and Company Information

|                |  |
|----------------|--|
| Product Name   | Star Bacteria Shield   |
| Contact Person | Supreet Singh  |
| Company        | <b>StarShield Technologies Pvt. Ltd.</b><br><b>Corp. off:</b> R-1/88, 2 <sup>nd</sup> Floor, RDC, Above ICIC Bank, Raj Nagar, Ghaziabad.<br><b>Branch off:</b> 2989/1 CA, St-16, Old Ranjeet Nagar, New Delhi-110008 |
| Mobile         | +91 11 30086111  |
| Email          | starshieldpaint@gmail.com  |
| Website        | www.starshield.in  |

### Section 2: Composition/ Information on Ingredients

|   |  |
|---|--|
| Product Name                                    | Star Bacteria Shield   |
| Synonyms  | water borne bacterial hygiene paint for architectural interior walls |
| Source  | This is a man-made product.  |
| Relevant identified uses<br>Of product/ mixture | Paint  |

### Chemical Nature:

| Component Name | Wt % |
|----------------|------|
|----------------|------|

|                           |        |
|---------------------------|--------|
| Titanium dioxide          | 10-30% |
| Water Borne Acrylic Latex | 10-50% |
| Fillers                   | 10-40% |
| Water                     | 10-40% |

## Section 3: Hazards Identification

### Inhalation

|                                       |  |
|---------------------------------------|--|
| Acute Health Effect                   | Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath |
| Chronic Health Effects                | No information available   |
| Aggravation of Pre-existing Condition | Person with respiratory function may be more susceptible to the effects of this substance.     |

### Ingestion

|  |  |
|--|--|
| Acute Health Effect                    | Slightly hazardous in case of ingestion                                  |
| Chronic Health Effect                  | No information available   |
| Aggravation of Pre-existing Conditions | Medical Conditions that may be aggravated by exposure: None anticipated. |

### Eye Contact

|  |   |
|--|---|
| Actual Health Effect                   | Contact with eye can produce irritation.                                |
| Chronic Health Effect                  | Prolonged or repeated contact may produce severe irritation.            |
| Aggravation of Pre-existing Conditions | Medical conditions that may be aggravated by exposure: None anticipated |

### Skin Contact

|  |  |
|--|--|
| Actual Health Effect                   | May cause irritation, depending on duration of contact.  |
| Chronic Health Effect                  | No information available   |
| Aggravation of Pre-existing Conditions | Persons with pre-existing skin problems may be more susceptible to the effects Of this substance.<br>Health effect described above are Based on published scientific information available for review and evaluated on behalf of this product.<br>Actual signs and symptoms experienced may vary due to conditions at the time of exposure |

#### Section 4: First Aid Measures

|                    |   |
|--------------------|---|
| After Inhalation   | Causes irritation to respiratory Tract. Symptoms may include coughing, shortness of breath. Remove to fresh air.  |
| After Skin Contact | May causes irritation, depending on duration of contact   |
| After Eye Contact  | Holding eyelids open, do not allow victim to rub their eyes. Gently flush eyes for 15 minutes with large quantities of water. Seek medical attention if irritation develops or persists |
| After Ingestion    | Never give anytime by mouth to an unconscious person. DO NOT induce vomiting. Get medical attention if symptoms appear.   |

#### Section 5: Fire Fighting Measures

|              |   |
|--------------|---|
| Fire         | Not considered to be a fire hazard. Not Flammable |
| Explosion    | Not considered to be an explosion hazard.         |
| Flash Points | Not applicable                                    |

|                     |  |
|---------------------|--|
| Auto-Ignition       | Not applicable   |
| Flammable Limits    | Not applicable   |
| Extinguishing Media | This material is not combustible and is not anticipated to react with commercially employed extinguishing media. Use appropriate extinguishing media for surrounding fire. |

## Section 6: Accidental Release Measures

|                               |   |
|-------------------------------|---|
| Containment Techniques        | This is a solid material and will not travel far from the spill location unless mechanically agitated. Therefore, no specific containment techniques are recommended outside of restricting access to the spill location. During spill cleanup, residual wash waters should be contained and collected for proper disposal.   |
| Spill Response Equipment      | The following equipment is recommended for spill response: <ul style="list-style-type: none"> <li>• Vacuum, equipped with a HEPA filter</li> <li>• Broom, wet mop</li> <li>• Dustpan, shovel, or scoop</li> <li>• Bags, drums, or sacks for collection</li> </ul> Note: Non-sparking equipment may be selected, based on location specific requirement and individual work site evaluation. |
| Personal Protective Equipment | Employees should utilize the following protective equipment when performing spill response activities <ul style="list-style-type: none"> <li>• Gloves (rubber or leather)</li> <li>• Chemical /Safety impact goggles</li> <li>• Respiratory equipment recommended in section 8</li> </ul>   |

## Section 7: Handling and Storage

|          |   |
|----------|---|
| Handling | <p>When handling this product, all personnel are directed to:</p> <ul style="list-style-type: none"> <li>• Were all specified elements of PPE, as directed by this document, or under location specific requirement, whichever is more conservative.</li> <li>• avoid creating dust, where possible.</li> </ul>   |
| Storage  | <p>The following information provides the appropriate and recommended methods for safe storage and maintenance of product integrity:</p> <ul style="list-style-type: none"> <li>• Store in a cool, and dry area.</li> <li>• Product containers (polymer bags, Nylon bags, drums, etc.) are prone to physical damage. Care should be taken in storage and handling in order to prevent damage.</li> <li>• Avoid Contact with oxidizers and chemically active metals, since violent reactions may occur.</li> </ul> |

## Section 8: Exposure Controls/personal protection

|                      |  |
|----------------------|--|
| Engineering Controls | <p>If user operations generate dusts or fumes, use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Keep containers closed when not in use. Do not use near ignition sources.</p> |
| Skin Protection      | <p>Wear impervious protective clothing, including boots, PVC or Neoprene gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.</p>  |
| Eye/Face Protection  | <p>Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.</p>   |
|                      | <p>To Control potential exposures, avoid creating dust. Always wear appropriate protective equipment when handling.</p>  |

|                        |  |
|------------------------|--|
| Work Hygiene Practices | <p>To avoid skin contact, gloves (leather or rubber) should be worn when handling containers of this substance. Do not eat, drink, smoke, or apply cosmetics while using/handling. Always wash hand and face after handling.</p> <ul style="list-style-type: none"> <li>• Avoid direct skin contact when possible</li> <li>• Do not eat, drink, smoke, or perform other hand-to-mouth activities in product use or handling area.</li> <li>• Wash thoroughly after handling this product.</li> </ul> |
|------------------------|--|

## Section 9: Physical and Chemical Properties

|                               |                   |
|-------------------------------|-------------------|
| Appearance                    | Loose Paste       |
| Colour                        | Milky White Paint |
| Odor                          | Characteristic    |
| Purity                        | NA                |
| Ph value                      | 8-10              |
| Flash point                   | NA                |
| Melting Point                 | 0.0 °C            |
| Freezing point                | -4 °C             |
| Flammability                  | Not applicable.   |
| Boiling point                 | NA                |
| Explosion Limits              | NA                |
| Solubility in water           | Soluble           |
| Vapor density (Air=1)         | NA                |
| Solubility in organic solvent | NA                |
| Evaporation Rate              | Equal to water    |

## Section 10: Stability and Reactivity

|           |   |
|-----------|---|
| Stability | Stable under ordinary conditions of use |
|-----------|---|

|                                  |                          |
|----------------------------------|--------------------------|
|                                  | and storage              |
| Hazardous Decomposition products | No information available |
| Hazardous Polymerization         | Will not occur           |
| Incompatibilities                | No Information available |
| Condition to avoid               | No Information available |

## Section 11: Toxicological Information

### Toxic metals content

|   |               |
|---|---------------|
| Lead (Pb), ppm                              | =Not detected |
| Cadmium (Cd),ppm                            | =Not detected |
| Mercury(Hg),ppm                             | =Not detected |
| Arsenic (As), ppm                           | =Not detected |
| Hexavalent Chromium (Cr <sup>+6</sup> ),ppm | =Not detected |

### Occupationally Relevant Routes of Exposure

|            |   |
|------------|---|
| Inhalation | Vapour may be an irritant to mucous membranes and respiratory tract.  |
| Ingestion  | May cause irritation to mouth, throat and digestive tract. Large dose may cause drowsiness and may lead to unconsciousness                        |
| Skin       | Irritating to the skin. Has a degreasing action on the skin. Repeated or prolonged skin contact may lead to contact dermatitis and toxic effects. |
| Eye        | Irritating to the eyes  |

## Section 12: Ecological Information

|                              |  |
|------------------------------|--|
| Environmental fate           | Possibly hazardous short term degradation product are not likely however, long term degradation Product may arise. The product of degradation may be more toxic. Do not discharge into sewer or waterways. |
| Distribution and persistence | Prevent release into the environment.  |

|                                      |   |
|--------------------------------------|---|
| in the Environment                   |   |
| Bioaccumulation in Aquatic Organisms | May cause adverse effects to marine organisms.  |
| Permissible Concentration in Water   | May cause adverse effects to marine environment |

### Section 13: Disposal Considerations

|                              |  |
|------------------------------|--|
| Physical/Chemical properties | This material is a stable solid. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirement. Processing, use or contamination of this product may change the waste management options.   |
| Recommended Disposal Method  | Where possible, re-blend spilled, unused, or off- specification materials with other suitable materials in support of waste minimization. Where this is not possible, dispose of material according to federal (Country-specific), state, and local requirement  |
| Empty Containers             | This product may be shipped in paper or nylon bags, steel drums, plastic or steel pails, or intermediate bulk Container all residual material must be emptied and the container recycled where possible, containers must be disposed of in accordance with Federal (country-specific), state, and local regulations. If question exist about disposal, please contact the manufacturer for additional information. |

### Section 14: Transportation Information



RID/ADR - Non-hazardous for road transport.

IMDG - Non-hazardous for sea transport.

IATA - Non-hazardous for air transport.

## Section 15: Regulatory Information

|       |  |
|-------|--|
| WHMIS | Not control under WHIMS (Canada).<br>This MSDS has been prepared according to the hazardous criteria of the Controlled Products Regulations (CPR)<br>And MSDS contains all of the information required by CPR. |
|-------|--|

## Section 16: Labeling Information

|                      |   |
|----------------------|---|
| Product Name         | Star Bacteria Shield  |
| Ingredients          | Water Base  |
| Signal Words         | WARNING!  |
| Hazard Description   | May be harmful if inhaled or ingested.<br>May cause irritation to eyes and respiratory tract.   |
| Precautions          | Do not get in eyes, or skin, or on clothing.<br>Wash thoroughly after handling. Do not breathe dust. Keep container closed. Use only with adequate ventilation  |
| First Aid Procedures | In case of contact, wipe of excess material from skin then immediately flush eyes or skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give Oxygen. If swallowed, DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. In all cases call a physician if symptoms develop. |
| Fire Instructions    | This material is not flammable. Select fire extinguishment media for surrounding materials.   |
|                      | Wear appropriate equipment. Limit foot and  |

|                                   |  |
|-----------------------------------|--|
| Spill or leak Procedures          | vehicular traffic to minimize agitation and dispersion. Employ a vacuum (equipped with a HEPA filter), broom and shovel, and wet sweeping for spill clean-up. Avoid creating dust. Do not allow this product or run-off to reach waterways.  |
| Handling and Storage Instructions | Wear specified elements of personal protective equipment, as defined in the Material Safety Data Sheet (MSDS), or follow location specific instructions for handling this product. Store in cool, dry, well-ventilated area. Specific instructions concerning directions for use and handling may be supplied by the manufacturer. |

## Section 17: Other Information

|              |   |
|--------------|---|
| HMIS Ratings | Flammability: 0 (None)<br>Reactivity: 0 (None)<br>Personal protection: E  |
| NEPA Ratings | Flammability: 0 (None)<br>Reactivity: 0 (None)  |
| Date         | 23/09/2016  |
| Disclaimer   | The above information is believed to be correct but does not purport to be or inclusive and shall be used only as a guide. The information in this document is based on present state of our knowledge and is applicable to the product with regard to appropriate safety precaution. It does not represent any guarantee of the properties of product. |

**Corp Off:** R-1/88, 2<sup>nd</sup> Floor, Above ICICI Bank, R.D.C., Raj Nagar, Ghaziabad, U.P. - 201001

**Branch Off:** 2989/1 CA, Street No. 16, Old Ranjeet Nagar, Patel Nagar, New Delhi -110008.

**Tel.:** +91-11-30086111, **E.mail:** [starshieldpaint@gmail.com](mailto:starshieldpaint@gmail.com), **Website:** [www.starshield.in](http://www.starshield.in).